

**STATEMENT
OF THE
ALLIANCE FOR AUTOMOTIVE INNOVATION**

**BEFORE THE:
SUBCOMMITTEE ON INNOVATION, DATA AND COMMERCE
COMMITTEE ON ENERGY AND COMMERCE
U.S. HOUSE OF REPRESENTATIVES**

**LEGISLATIVE HEARING TITLED:
“Preserving Americans’ Access to AM Radio”**

April 30, 2024

PRESENTED BY:

**John Bozzella
President & CEO**



Chairman Bilirakis, Ranking Member Schakowsky and distinguished members of the Committee, on behalf of the Alliance for Automotive Innovation (Auto Innovators) and our member companies, thank you for the opportunity to appear at this hearing to share our perspective on the legislative proposal requiring the installation of analog AM radios in all new vehicles sold in the United States.

Alliance for Automotive Innovation was formed in 2020 and represents the iconic companies producing most vehicles sold today in the U.S., autonomous vehicle and safety innovators, semiconductor producers and advanced battery manufacturers.

Our mission: a cleaner, safer and smarter automotive future.

The automotive industry is the largest manufacturing sector in the U.S. It supports 10 million jobs coast to coast, drives \$1 trillion into the economy annually and represents nearly 5 percent of GDP. Every \$1 spent on vehicle manufacturing creates an additional \$3.45 in economic value¹.

AM radio is not necessary to ensure public safety

Safety – preventing accidents and saving lives – is a top priority for Auto Innovators and our members. However, unlike lifesaving (and mandated) technologies like airbags, seatbelts, electronic stability control and headlights, analog AM radio does not contribute to motor vehicle safety.

In other words, a government mandate that analog AM radio must be “standard equipment” in vehicles is not necessary to ensure public safety.

We appreciate the continued engagement with this Committee regarding how the public is made aware of emergency alerts.

As previously communicated to Congress, Auto Innovators and its members remain committed to ensuring drivers have access to free, public alerts and safety warnings through the Federal Emergency Management Agency’s (FEMA) Integrated Public Alert and Warning System (IPAWS)².

Automakers consider several factors when making decisions on vehicle design and features. This may vary among manufacturers but is based on extensive research, testing and regulatory analysis – while prioritizing safety and consumer preferences.

Any decision by an automaker to remove analog AM radios in vehicles does not eliminate consumer access to emergency alerts or even access to AM radio.

¹ Alliance for Automotive Innovation, Driving Force, November 30, 2022, <https://www.autosinnovate.org/EconomicImpactReport>.

² Integrated Public Alert & Warning System (IPAWS), FEMA.gov, 1 Jan. 2000, www.fema.gov/emergency-managers/practitioners/integrated-public-alert-warning-system.

It is also worth noting that analog AM radios are not classified as safety equipment in the U.S. or any country around the world. While they may be a source for emergency alerts, among a variety of other options already accessible in modern vehicles, analog AM radios are primarily used for entertainment or news programming.

Vital role of NHTSA and FMVSS process

In 1966, the Federal Motor Vehicle Safety Act spurred the creation of Federal Motor Vehicle Safety Standards (FMVSS) to help reduce the rate of fatalities attributed to motor vehicle crashes and set requirements for key safety technologies in vehicles.

Vehicle safety regulations are focused on reducing crashes and saving lives. This Committee has oversight of the National Highway Traffic Safety Administration (NHTSA) which was established by the Motor Vehicle Safety Act and resides within the U.S. Department of Transportation.

Automakers imagine, develop, test and deploy innovative, lifesaving safety technologies every day. Members of Auto Innovators have invested billions of dollars in lifesaving technologies to make vehicles safer including anti-lock brakes, backup cameras and tire pressure monitoring systems to name a few.

Neither analog AM radios nor any mass communication device or pathway have ever been considered vehicle safety equipment under FMVSS requirements.

We are concerned that Congress is considering legislation to mandate analog AM radio that would create a completely new authority for NHTSA by requiring automakers to install equipment in a vehicle under a new definition of “standard equipment.”

Such an expansive authority via this new definition would open the door to future acts of Congress that would effectively circumvent established requirements in the FMVSS process. That process is currently well understood and accounts for consumer acceptance and a cost-benefit analysis.

The bill under consideration vitiates these good government processes and enables Congress to categorize nearly anything as “standard equipment” and, in turn, require it for all new vehicles.

NHTSA is (and should remain) a vehicle safety agency. Authorizing and imposing unnecessary mandates sets a dangerous precedent for future legislation.

Today it’s analog AM radio. But what’s next?

To address rising crime, would Congress use this new precedent to require bulletproof glass in all new vehicles? We do not believe this is appropriate and it should give all members of Congress pause.

Innovation and modernization of IPAWS

When it comes to analog AM radios, IPAWS, created in 2006 per Executive Order 13407³, was designed to be “an effective, reliable, integrated, flexible, and comprehensive system” with redundant alert mechanisms to ensure the public has access to multiple outlets to receive critical alerts.

It was never intended for the IPAWS system to rely on one communication pathway, but instead reach the public however they consume information.

Congress directed FEMA to “include in the public alert and warning system the capability to adapt the distribution and content of communications on the basis of geographic location, risks, and multiple communication systems and technologies, as appropriate and to the extent technically feasible⁴,” in the IPAWS Modernization Act of 2015.

This current legislative proposal would undermine previous efforts by Congress to modernize IPAWS as well as all the developments in the IPAWS communication pathways and give analog AM radios a competitive advantage in the marketplace – regardless of other considerations.

This is troubling because the legislation before the Committee contains provisions that do not pertain to emergency preparedness, places the government’s thumb on the scale in favor of analog AM radio, and devalues innovation for manufacturers, suppliers and the public.

Some of those legislative provisions include:

- In Sec. 2 Definitions: (7) Digital Audio AM Broadcast Station excludes “digital audio AM broadcast station” (as defined in section 73.402 of title 47, CFR).
- In Sec. 2 Definitions: (14) Standard Equipment – establishes a new authority and definition that could apply to anything and would give a future act of Congress the broad authority to avoid the established FMVSS process which works to ensure consumer acceptance for any vehicle technology.
 - Sec. 3(a)(1) – Would make analog AM radio receivers “standard equipment.”
- Sec. 3(a)(2) specifies, without regard to an end-date, a stipulation that such AM radios should be easily accessible in regard to “access to AM broadcast stations,” which is very broad and undermines other technologies and communications pathways within a vehicle that have a far greater utilization than analog AM radio.

³ Exec. Order No. 13407, June 2006, <https://www.govinfo.gov/content/pkg/WCPD-2006-07-03/pdf/WCPD-2006-07-03-Pg1226.pdf>.

⁴ Integrated Public Alert and Warning System Modernization Act of 2015, April 11, 2016, <https://www.congress.gov/114/plaws/publ143/PLAW-114publ143.pdf>

- Sec. 3(f) calls for a GAO study on the efficacy of analog AM radios after mandating analog AM radios be installed in all new vehicles one year after enactment.

What is Congress trying to solve? Why the rush?

Let's also acknowledge the paradox surrounding consumer preferences and listenership regarding how they may receive IPAWS alerts.

The IPAWS Program Management Office emphasized in its Strategic Plan for FY 2022-2026 that one of the challenges the system faces is that “the public is moving away from radio and broadcast/cable television as the primary channels for news and information. Just as IPAWS has adapted emergency alerting to smart phones via Wireless Emergency Alerts (WEA), the program must now find ways to communicate with the public however they receive information.”⁵

The Federal Communication Commission (FCC) also noted similar challenges with analog AM radio in its October 2020 Report and Order on “*All Digital AM Broadcasting; Revitalization of the AM Radio Service*,”⁶ stating the service “struggled for decades with a steady decline in listenership caused by interference and reception issues and the availability of higher fidelity alternatives.”

In this context, why is Congress and this Committee seeking to mandate one technology (analog AM radio) that federal agencies have publicly acknowledged (for more than a decade) is suffering from declining listenership and poor audio quality?

The reality in today's digital age is consumers have numerous options for accessing AM radio content inside and outside of vehicles, many of them free. This includes via digital AM and FM, internet-based radio, streaming and satellite radio.

The notion that removing analog AM radios from vehicles would somehow prevent consumers from accessing or receiving AM radio content is also not accurate.

There are about 286 million light-duty vehicles on U.S. roads today. The average age of those vehicles is more than 12 years old, and 99 percent of these vehicles have analog AM radio. Even if every automaker discontinued analog AM radio starting today, it would take more than 30 years for the vehicle fleet to turnover and for analog AM radio to phase out.

There is no pressing need for immediate government action, and Congress has time to fully study this issue and understand where analog AM radio fits into the government's overall emergency alert protocols. The current landscape does not necessitate a reliance on analog AM radios as the legislation requires in perpetuity. Government mandates also mean additional costs – for manufacturers and consumers.

⁵ Strategic Plan Fiscal Year 2022-2026, pg. 4, August 23, 2022.

https://www.fema.gov/sites/default/files/documents/fema_ipaws-strategic-plan-fy-2022-2026.pdf

⁶ U.S. Federal Communications Commission, FCC 20-154 Report and Order, pg. 2 (October 27, 2020)

<https://docs.fcc.gov/public/attachments/FCC-20-154A1.pdf>

Questions Congress should also consider:

- Will the legislative solution achieve the desired outcome, ensuring the public has access to emergency alerts in vehicles?
- Is there a benefit and does it outweigh the cost?
- Are there alternative options to better address the desired goal of an adaptive, innovative emergency alert network?

Advanced vehicle technology and AM broadcasting technologies don't always mix

Electric vehicles (EVs) account for approximately one percent of vehicles on the road today, but when it comes to the interaction between EVs and analog AM radio there is an acute issue related to interference.

In technical terms: the high-voltage electrical systems in EVs generate electromagnetic interference (EMI).

According to the Center for Automotive Research (CAR)⁷, this interference “distorts AM radio signals... affecting the listening experience for drivers and passengers.” In other words, the interference makes the already staticky analog AM radio frequency unlistenable. It's not possible to eliminate that interference.

CAR addressed these and other relevant questions in its October 2023 study, “*Analog AM Band Interference in Electric Vehicles, Technical Solutions and the Cost of Mitigating Electromagnetic Interference.*”⁸

The study found that “mitigating electromagnetic interference (EMI) in an EV is challenging and could lead to added costs for vehicle manufacturers.”⁹

The study also found EMI is not only present in EVs but also in traditional internal combustion engine (ICE) vehicles and hybrid-electric vehicles (HEVs) from advanced electronic systems required for operation (powertrain and chassis functions as well as safety and security). These technologies include: “all the electronic sensors, actuators, and control modules associated with chassis controls (e.g., brake-by-wire, steer-by-wire systems), adaptive driver assistance systems or ADAS (with radars, camera, and ultrasonic sensors), vehicle body (e.g., door and mirror

⁷ The Center for Automotive Research (CAR) is involved in the research of significant issues that relate to the future direction of the global mobility industry. CAR's mission is to produce independent research, convene stakeholders, and analyze critical issues facing the mobility industry and its impact on the economy and society. CAR subject matter experts provide observations and insights for research clients and Affiliates worldwide. (<https://www.cargroup.org/about/>)

⁸ Center For Automotive Research, Analog AM Band Interference in Electric Vehicles, October 2023, <https://www.cargroup.org/wp-content/uploads/2023/11/AM-Radio-RFI-Technical-Report.pdf>

⁹ Id at pg. 1

controls and climate controls) functions, infotainment, and connectivity functions, and in the case of HEVs, regenerative braking, battery management functions.”¹⁰

As vehicle technology – both safety and convenience features – continues to evolve analog AM radio will become less compatible with the more connected and digital vehicles of the future.

Even techniques to *reduce* (not eliminate) interference add weight, diminish battery range and would cost manufacturers and consumers an estimated \$3.8 billion through 2030. The CAR study found that “the mitigation techniques do NOT eliminate unwanted noise in analog AM radio for EVs completely.”¹¹

A solution in search of a problem

Simply put, the *AM Radios for Every Vehicle Act* is a solution in search of a problem.

While we understand the intent of the legislation, it raises several questions as to whether the bill’s purpose is to ensure public access to emergency alerts or to mandate analog AM radios in vehicles regardless of consumer preference.

We also understand the value and importance of analog AM radio whether for distributing emergency alerts as part of the multiple communication pathways in IPAWS or for its accessibility in rural areas due to the propagation characteristics of AM radio.

However, the question is less about the value of analog AM radio and more about whether it is necessary for Congress to mandate the installation of analog AM radios in all new vehicles which seems more about preserving one communication platform’s commercial viability.

In addition, those AM signals are effectively public airwaves licensed for commercial use by the FCC.

There are many vehicle options in the market today. There is no threat that warrants a legislative mandate through the creation of new authorities for NHTSA to administer standard equipment requirements irrespective of any motor vehicle safety nexus.

Furthermore, Congress must approach any legislation that seeks to mandate analog AM radios in all new vehicles with full awareness about what is being required and for what purpose. Analog AM radio in vehicles does not correlate to motor vehicle or public safety.

The proposed legislation hints at an underlying support for an industry (in this case advertising supported analog AM broadcasting) that is facing a changing marketplace and struggling to remain competitive.

¹⁰ Id at pg. 5

¹¹ Id at pg. 13

It is not the role of Congress to intervene and support a particular business model or pick winners and losers in a market characterized by competition and lots of options (many of them free). In fact, this Committee has a long history of doing the opposite and has avoided putting a finger on the scale to support one industry or business platform over another.

Innovation and competition from China

Finally, an observation on American innovation and competition.

This is a moment of enormous promise and excitement for personal transportation in the U.S. driven by the mega trends of electrified propulsion, automation and connectivity.

We are living through a technology revolution that will transform personal mobility, rewrite global supply chains, rebuild America's industrial base and impact auto communities and economic and national security in fundamental ways. It already has.

At the same time, the automotive industry faces growing competition from China which dominates certain supply chains (like critical mineral mining and processing) and is seeking to enter the world's auto markets with subsidized EVs.

Automotive electrification, automation and connectivity are the future and a recipe for a strong, growing and competitive U.S. automotive industry.

Automakers are doing their part to compete with China and produce the most connected, most innovative and most efficient vehicles in history.

Resources and time diverted to analog AM radio mandates – when the automotive future is so clearly moving in a different direction – is incompatible with the work to make EVs more efficient and to expand their range. But it also makes the U.S. less competitive around the world – and is another reason we oppose this legislative mandate.

Again, automakers are committed to ensuring drivers have access to free, public alerts and safety warnings through the IPAWS system which includes a variety of communication methods – or via portable analog AM radios provided to consumers who purchase a new vehicle that might not come equipped with an analog AM radio.

On behalf of Auto Innovators and our member companies, I look forward to working with Congress to advance a competitive and innovative automotive landscape that serves the interests and safety of all Americans.

Coming Soon: An AM Radio Mandate **Just what the country needs to raise the price of electric vehicles.**

By The Editorial Board

March 29, 2024 5:45 pm ET

Who says Congress can't focus on America's urgent problems? A bipartisan crowd is building on Capitol Hill to require that every car have an analog AM radio. There's nothing that government won't mandate these days, and we don't mean that as a compliment.

Some auto makers have dropped AM radio from EV models because their components can interfere with signals. The companies can mitigate electromagnetic interference with cables, filters and other materials, as some have done. But these involve engineering trade-offs that can increase manufacturing costs.

No matter. Congress wants to mandate old-fashioned analog AM as a safety feature, similar to seat belts and air bags. As President Biden pushes ahead with his EV mandate, momentum has increased behind legislation that would require all new vehicles sold in the U.S. to include devices that can receive signals and play content transmitted by AM broadcasts.

This is a sop to AM broadcasters, which are struggling amid increased competition from satellite radio, podcasts and other audio media. They say AM radio can provide the only reliable source of information in an emergency. And it's true AM signals can reach rural locations where cell service and broadband can sometimes be limited.

But the Federal Emergency Management Agency's Integrated Public Alert and Warning System sends out alerts via multiple, redundant communication modes. Drivers can receive alerts via FM, satellite and digital AM radio, as well as their phones. The likelihood that drivers won't be able to access vital public safety information in an emergency is minuscule.

In any case, Americans would only get AM radio alerts if they happened to be tuned into AM radio while driving. If cell and wireless service are both interrupted, Americans who aren't driving would be out of luck. Does Congress next plan to mandate that all homes and businesses install AM radio devices and landlines?

Some Republicans say auto makers are suppressing conservative voices by eliminating analog AM radio. This is ridiculous. Auto makers that have removed analog AM radio from

EVs—namely, European luxury manufacturers and Tesla—enable drivers to access AM newscasts via other means.

Tesla sells a connectivity package that allows drivers to stream AM radio at additional cost. Americans who don't want to pay more for the AM add-on can purchase an EV from Nissan, Honda, Stellantis and other manufacturers that have devised work-arounds to keep AM analog. Auto makers could even use AM radio as a marketing advantage.

Democrats are pushing the mandate because they worry Americans might be less inclined to purchase EVs without analog AM radio. They also like to use AM radio to target Hispanic and Asian voters. Roughly 600 AM stations broadcast all or some content in a language other than English.

Congress's AM radio mandate will increase the costs of EVs, which auto makers will offset by raising prices on gas-powered cars. Car companies are already doing so in order to compensate for losses on EVs.

Forty-seven Senators, including 24 Republicans, and 237 Members in the House (125 Republicans including Speaker Mike Johnson) have co-sponsored the legislation. Republicans once stood for free markets, but their principles are now as fuzzy as AM radio signals.



CENTER FOR
AUTOMOTIVE
RESEARCH

Analog AM Band Interference in Electric Vehicles

Technical Solutions & Cost of Mitigating Electromagnetic Interference

Snehasis Ganguly

Tyler Harp

Alex Kulicki

Cullen Smith

K. Venkatesh Prasad

October | 2023

Table of Contents:

List of Tables:.....	ii
List of Figures:	ii
Acknowledgments	iii
Executive Summary	1
Introduction	1
AM Radio & Electromagnetic Interference	2
Electromagnetic Interference in Automobiles	4
AM Noise Mitigation: Technical Solutions	5
Shielding	6
Filtering	7
Active Noise Cancellation	8
Placement.....	8
Improvements to AM Radio Receivers.....	8
Long-Term Redesign.....	9
Removal of Analog AM Radio	9
AM Noise Mitigation: Cost and Weight Considerations	10
Conclusion.....	13
References.....	15

List of Tables:

Table 1. AM Radio Availability & Alternatives between EV-Producing Automakers.....	14
--	----

List of Figures:

Figure 1. AM Radio Components.....	2
Figure 2. AM Radio Signal and EMI Illustration (Simplified)	3
Figure 3. Four Pathways of EMI.....	4
Figure 4. Sources of EMI in EVs	5
Figure 5. Typical High-Voltage Cable Construction.....	7
Figure 6. Filtering as a Means of EMI Mitigation.....	7
Figure 7. Potential Mitigation Solutions for AM Radio Interference in EVs	10
Figure 8. Cost of EMI Mitigation Through Shielding and Filtering in Forecasted EV Production*	12

Acknowledgments

This work was made possible through a research contract with the Alliance for Automotive Innovation (AAI). The authors thank the companies and organizations involved for their support.

For citations and reference to this publication, please use the following:

Ganguly, S., Harp, T., Kulicki, A., Smith, C., Prasad, K. Venkatesh (2023). *Analog AM Band Interference in Electric Vehicles: Technical Solutions & Cost of Mitigating Electromagnetic Interference*. Center for Automotive Research, Ann Arbor, Michigan.



880 Technology Dive, Suite C | Ann Arbor, MI 48108 | www.cargroup.org

CAR's mission is to inform and advise through independent research, education, and dialogue, enabling a more viable and sustainable automotive ecosystem.

Executive Summary

There is an effort in the US Congress to require automakers to maintain AM radio in all vehicles, including new electric vehicles (EVs). However, the nature of EVs and their operating conditions, including acceleration and deceleration, pose a challenge to ensuring electromagnetic compatibility (EMC) with the analog AM band radio. This study, conducted by the Center for Automotive Research (CAR), shows that mitigating electromagnetic interference (EMI) in an EV is challenging and could lead to added costs for vehicle manufacturers. The cost of mitigation depends upon the electrical architecture of the vehicle and entails several design and engineering tradeoffs. Automakers may mitigate some EMI through vehicle engineering choices, including shielding, filtering, active noise cancellation, and strategic placement of components. These mitigation techniques can improve analog AM band reception. However, a total vehicle system EMC requirement would need to be included from the beginning of any future EV redesign, if not already considered by the automakers, to eliminate the need for piecemeal late-stage mitigations. These costs can be avoided by deleting analog AM radio from vehicles and providing consumers with alternative products for in-vehicle audio content.

Introduction

The AM band has been integral to the automobile experience since “car radio” was first introduced in the US. Since then, advancements in broadcast communication technology have given broadcasters more options to deliver in-vehicle audio content to drivers and passengers; however, analog AM broadcast radio remains ubiquitous in the US. The effort in the US Congress to maintain AM Radio in all vehicles, including new EV models, resulted in a Senate inquiry.¹ Automaker responses to a Senate inquiry on the topic are included in Table 1.

The presence of intermittent noise in the AM band is well understood technically and tolerated mainly by car radio listeners familiar with weakening signals and increasing noise as they drive away from the source broadcast station, pass a large truck on the highway or under a high-voltage power line. However, EVs bring new noise sources stemming from the electromotive nature of their propulsion systems.


¹ See Reference: 1

The key electromotive components of EVs are one or more high-power electric motors, associated electronic systems (such as inverters), and high-voltage batteries. Within an EV, these components, by design, generate electromotive forces that turn the rotor in the electric motor and cause the axles to turn the wheels. Given the high-power nature of these forces, there is an inherent high-current transmission between the high-voltage battery, the inverter, and the motors. While electromotive forces are propulsion sources in EVs, they are also the basis of noise sources causing interference in the AM band.²

AM Radio & Electromagnetic Interference

Figure 1. AM Radio Components

The analog AM band radio (“AM radio”) captures and processes radio frequency (RF) signals in the 540 kHz – 1700 kHz range of the electromagnetic spectrum and, through a series of steps, using electronic components (Figure 1), generates audible AM radio content. The antenna receives RF signals across the AM band. It conducts the transduced electrical signals to the receiver that demodulates these signals (extracting the content about the audio content) and amplifies these signals. The tuner, via an interface, allows the user to select a desired radio station, adjust the radio volume, and access station information.³



EMI is an electronic device or system disturbance caused by an electromagnetic interaction with an external source. EMI can cause electronics to operate poorly, malfunction, or stop working altogether. It can arise due to both natural and human-made sources.⁴

Some examples of EMI include:

- Wi-Fi communications are disrupted by noise from LED lighting.
- Mobile radio transmissions are heard over the speakers in a home entertainment system.
- Radio signals from a passing aircraft open an automatic garage door.

² See References: 2-25

³ See Reference: 26


⁴ See References: 2-25

- A lightning strike caused a power outage.

When unmanaged, EMI can pose significant operational problems. Electronic products and related services are regulated to ensure electromagnetic compatibility with other products and services sharing the same working environment. Addressing EMI poses a design and cost challenge to automakers, especially as they scale the manufacturing of EVs.


A simple illustration of EMI in AM bands is shown in Figure 2. As its name suggests, AM radio uses amplitude modulation to transmit a signal, with information transmitted by the signal modulating the amplitude of the carrier wave (as seen on the left side). In contrast, an electromagnetic spike causes interference on the right side, resulting in the distorted AM signal experienced in EVs. As AM radio is transmitted by modulating the signal's amplitude, these EMI spikes, which can be many times the amplitude of the AM signal, significantly impact the listener's experience.

Figure 2. AM Radio Signal and EMI Illustration (Simplified)



Steps can be taken to reduce EMI to AM radio in EVs, such as shielding sensitive components and using filters to block unwanted signals to maintain the fidelity of a vehicle's electronic components. EMI can be classified into four main types: inductive, radiative, capacitive, and conductive, as depicted in Figure 3. Radiative EMI requires no physical medium to be transmitted. At the same time, other types of interference (inductive, conductive, and capacitive) occur when an undesired electrical signal travels via an electrical path (i.e., wiring).


Figure 3. Four Pathways of EMI



Electromagnetic Interference in Automobiles

EVs are dependent on and powered by high-voltage electrical components that draw high currents. Through high-voltage cables, this current is carried between critical components within the car, such as the battery, electric motor, and inverter. This is depicted in Figure 4. The rapid current switching within the high-voltage cables and components generates an electromagnetic field capable of interfering with AM band signals. These fields can hinder the clear reception of AM radio signals, resulting in static and audio distortion for listeners. In essence, the operation of an EV inherently produces disturbances capable of causing varying levels of EMI.

Figure 4. Sources of EMI in EVs



Another factor contributing to EMI in EVs, traditional internal combustion engines (ICE) vehicles, and hybrid-electric vehicles (HEVs) is the growing complexity of onboard electronics. Modern vehicles have numerous electronic systems for functional requirements (such as the powertrain and chassis functions) and to support a wide range of vehicle attributes (such as safety and security). These include all the electronic sensors, actuators, and control modules associated with chassis controls (e.g., brake-by-wire, steer-by-wire systems), adaptive driver assistance systems or ADAS (with radars, camera, and ultrasonic sensors), vehicle body (e.g., door and mirror controls and climate controls) functions, infotainment, and connectivity functions, and in the case of HEVs, regenerative braking, battery management functions. These electronic components, modules, and systems can produce electromagnetic radiation, and their proximity to AM radio receivers can result in EMI.

AM Noise Mitigation: Technical Solutions

For regulatory and customer satisfaction reasons, the need to take steps to reduce or mitigate EMI is well-recognized by auto manufacturers. The approaches taken toward mitigation vary considerably. Automakers that manufacture EVs exclusively, most notably Tesla, have addressed the AM interference issue by simply deleting analog AM radio in their vehicles. Others have implemented techniques combining shielding and filtering to mitigate AM band interference. Some manufacturers have adopted different physical designs, packaging, and component placement approaches to mitigate EMI problems or have explored improving analog AM reception by adding a second AM antenna. Finally, like the techniques used in acoustic noise-

canceling headphones, several emerging technologies exist for active noise cancellation in the AM band.

While shielding, filtering, component placement, receiver improvement, and active noise cancellation offer mitigation means, these measures add material and development costs. A longer-term approach may call for consideration of solutions to address the root causes of EMI through vehicle design and a rethinking of the engineering process. The costs associated with AM radio interference mitigation are challenging to compute as the components are integrated into the rest of the vehicle systems, including power and signal distribution and packaging. These costs are shared across functional systems and attributes. There is further discussion on potential costs in the AM Noise Mitigation: Cost and Weight Considerations section.


This section explores several technical solutions found in the automaker's toolkit: shielding, filtering, component placement, active noise cancellation, AM receiver improvement, and considering a long-term redesign. Each of these solutions comes with unique costs for implementation. A summary of these mitigation techniques can be seen in Figure 7.

Shielding

The shielding of cables and electrical systems is widely used to mitigate EMI, including in EVs. Cabling designed with a sheath of conductive mesh surrounding single or multiple power- or signal-carrying wires can form an effective shield when adequately grounded and mitigates some EMI (Figure 5). Having one shield around numerous wires can be more efficient than wrapping them individually.⁵ Electronic systems, including power electronic circuit boards, inverters, and electric motor assemblies, can be enclosed in conductive metal cases and grounded. This helps to mitigate EMI, particularly the capacitive EMI, reduce the possibility of electric shock, and protect against the elements to which these components are exposed during their operating life in an automobile.

⁵ See Reference: 27

Figure 5. Typical High-Voltage Cable Construction



By preventing unwanted EMI from infiltrating the signal path, shielded cables can help maintain the integrity of AM radio signals as they traverse the vehicle's electrical system. This ensures that drivers and passengers can have better AM radio broadcast reception.

Filtering

Filtering is another commonly used mitigation technique, beneficial for mitigation against conductive EMI. EMI filters are electronic components designed to attenuate or suppress unwanted EMI within a given frequency range. This concept is illustrated in Figure 6. In EVs, EMI filters are strategically integrated into the vehicle's electrical system to address interference issues affecting AM radio reception.

Figure 6. Filtering as a Means of EMI Mitigation




Image adapted from: Knowles Precision Devices Blog

Several considerations regarding EMI filters in EVs are worth noting. First, concerning frequency range, low-pass EMI filters can be specifically designed to reduce noise in the AM radio frequency band (530 kHz to 1700 kHz),

allowing low-frequency signals to pass while attenuating higher-frequency noise. Second, filters can be integrated into various parts of the EV's electrical system, such as the power distribution unit, inverter, and charging infrastructure. High-performance filters with excellent attenuation characteristics and higher cost are typically desired to ensure minimal signal degradation.

Active Noise Cancellation

High-voltage power inverters create noise in the AM band that can be mitigated using active noise-cancellation techniques.⁶ Active noise cancellation works by monitoring the noise generated within an inverter and generating an opposing signal that cancels it.

Placement

The placement of components essential to EV propulsion and AM radio reception is pivotal in EMI management. The physical arrangement of components like motor controllers, inverters, and battery management systems can minimize EMI. This is heavily dependent on the physical and electrical architecture of the vehicle in question. Some OEMs locate the inverter near the battery rather than near the motor. This results in long high-power alternating current (AC) cables and EMI.

Improvements to AM Radio Receivers

In most automobiles, AM radio receivers tend to be relatively simple compared to other radio receivers (e.g., GNSS, cellular, satellite). AM car antennas are typically short, tuned whip antennas that pick up only the electric field in the AM band. On the other hand, handheld AM radio receivers usually pick up the magnetic field. Combining the signals from two or more antennas of different types or locations on a vehicle makes it possible to reject noise from nearby sources and pick up only the signal from the distant AM transmitting tower.⁷ It is important to note that these tuner-based approaches do not address the root causes of EMI in EVs but offer an additional option, with cost, to make the AM band less susceptible to EMI noise.

⁶ See Reference: 28

⁷ See Reference: 27

Long-Term Redesign


Automakers with internal combustion engines (ICE) and EV programs can mitigate additional AM band interference issues through vehicle-level redesign. This redesign will likely be optimized over several iterations, which could take three to five years. In the initial release, given the pressures of reducing go-to-market time, automakers focus on the significant changes in the powertrain systems to transition from ICE to EVs. Typically, only “as-needed” changes in chassis and body systems are made, notwithstanding the nearly independent changes in the “fast-cycle” infotainment or connected vehicle systems. As a result, it is not surprising that AM radios in first-generation EVs might be exposed to new sources of EMI. The next generation of EVs will likely incorporate the requisite chassis and body changes, with updates to powertrain technology (noting that changes driven by improved battery chemistry will continue). This second generation could be a fully redesigned vehicle with a better tolerance to EMI. However, the solution involves a third-generation version of a fully redesigned vehicle, where a component and system-level EMC are carefully planned. At that point, AM radios will not face the same level of EMI as the first-generation EVs. EMI can never entirely be eliminated in the AM band, given the sensitive nature of amplitude modulation to all signals that pass through the AM band. However, in future redesigned vehicles, AM radio mitigation will likely not have the material and test costs nor the added incremental weight burden it poses to the current production EVs.⁸

Removal of Analog AM Radio

Analog AM band mitigation costs, both material and potentially substantial engineering costs through development and testing, can be avoided by deleting analog AM radio from the vehicle. Many EV manufacturers have pursued this method to solve the poor AM band reception by providing alternative audio product options to their customers. These include FM, satellite, Bluetooth, and phone connectivity, allowing consumers to curate their in-car audio experience. Additionally, AM radio content can be accessed through digital AM radio if the broadcast is available, which has less noise and includes more text information for the user interface, or in-car streaming services stream AM station content.

⁸ See Reference: 29 and 30

Figure 7. Potential Mitigation Solutions for AM Radio Interference in EVs



AM Noise Mitigation: Cost and Weight Considerations


EMI and EMC design expertise today is mainly in the supply base, not with the legacy ICE automakers who are now rapidly scaling their EV business. This results from more than a century-old requirements associated with the ICE vehicle design and associated automaker and supplier roles. The automakers typically design and manufacture major propulsion components (e.g., engines and transmissions). In contrast, the components in most non-powertrain systems, delivering chassis, body, and infotainment or connectivity functions, are primarily designed or manufactured by the supply base. Not surprisingly, the EMI and EMC expertise within the automakers has focused mainly on compliance requirements of modules or components, vehicle-level testing, and late-stage EMI mitigations where necessitated.

With the large-scale investments in EVs, automakers who control the design and manufacturing of the underlying propulsion systems have recognized the need to build in-house capabilities in electromagnetics and related design and development skills. These capabilities exceed the in-house EMI and EMC skills in typical ICE-focused engineering organizations. This OEM capability development is needed because the propulsion system components of EVs (that OEMs design and often manufacture) include high-power motors and inverters, all of which are sources of EMI. The automakers have recognized the need to design and engineer these components from the beginning to minimize EMI and to ensure EMC with all other vehicle electronic systems. The collateral benefit of this early-stage vehicle-level

design consideration being given to EMI and EMC is that other vehicle electronic systems (serving the chassis, body, infotainment, and connectivity functions), including the AM band radio, will be relatively free of EMI from other vehicle systems. That said, analog AM band radio will never be interference-free as intermittent extra-vehicular sources of interference, as found in analog AM band radios in ICE vehicles, will persist in the driving environment.

In CAR's discussions with independent subject matter experts (SMEs) active in standards bodies and education, it has become clear that in-house electromagnetic design capabilities will give the legacy automakers an early-stage systemic design advantage, which will help avoid late-stage EMI mitigation costs. In the interim, there will be EMI mitigation costs between the first and second generations of EVs, where most legacy automakers are today. These costs will depend on several variables: the system architecture of the EV, the class and type of vehicle, and the chosen mitigation techniques. CAR's SME discussions revealed that the material cost of addressing AM band interference in EVs is relatively low because mitigation measures are often necessary and implemented to support other electronic systems susceptible to EMI. CAR's interview with one automaker revealed approximate shielding costs of \$35 to \$50 and filtering costs of \$15 to \$20 per vehicle. The shielding and filters can help mitigate interference with the functioning of electronic modules or components supporting attributes such as vehicle safety, durability, thermal conduction, and functional purposes of chassis, body, infotainment, and all the associated power distribution needs. They may be useful countermeasures, regardless of the presence of AM radio. CAR's analysis in Figure 8 shows how much EMI mitigation costs through shielding and filtering in forecasted EV production. Countermeasures or EMI mitigation actions are taken in the late stages of product development. They can prove more expensive than those in the early stages of the vehicle design and development process.

Figure 8. Cost of EMI Mitigation Through Shielding and Filtering in Forecasted EV Production*



*The cost burden is shared by a number of other electronic modules in EVs that also have EMI mitigation needs, including AM radio. These aggregate numbers are based on the \$70 unit costs of shielding and filtering, which is there for EMI migration and for other key-life purposes (e.g., durability). These numbers assume the 2023 state of a legacy automaker design assumptions, and these are assumed to stay unchanged (for purposes of this analysis) through the period of the cost analysis
Source: CAR Analysis, GlobalData: North American Light Vehicle Powertrain Fitment Forecast

Even if the material costs are low, the intangible costs of EMI mitigation are substantial. A verifiable specification is required for every additional engineering requirement; a prime example of such a requirement could be ensuring that the electromagnetic interference (EMI) in the analog AM band of electric vehicles (EVs) doesn't introduce any more audible noise than that in traditional internal combustion engine (ICE) vehicles. This entails allocating valuable engineering expertise to developing detailed specifications, often spanning hundreds of pages, to align with the analog AM band interference mitigation requirements for EVs.

Furthermore, dedicated teams must be assigned to test these specifications and source components designed explicitly for mitigating analog AM band interference. Since this added requirement intersects with multiple functional groups, such as the chassis team, the "body" engineering team, and the electrical and electronic systems team, often operating under different leadership within the company, there is a significant opportunity cost associated with these efforts. Consequently, organizational efficiency is compromised, which is particularly challenging for traditional automakers that must excel in efficiency compared to all EV companies. This heightened efficiency is necessary for conventional automakers to attain the profit margins required to fund their EV programs while meeting annual EV production commitments in compliance with US Government regulations.

AM band interference mitigation actions using shields and filters also add incremental weight. For example, CAR's interviews with automakers and SMEs have indicated that a ferrite core filter weighs approximately 1000 grams (about 2.2 lb.) This burden is a lot, as reducing vehicle weight is a big concern for automakers, and they pay a premium to save every pound of weight in the car. This imposes an extra cost burden on the automakers and has the consumer-facing functional impact of reducing the driving range of an EV.

Conclusion

The compatibility of EVs with AM radio reception poses a significant challenge due to EMI generated by the inherent properties of their high-voltage electrical systems and onboard electronics. This interference distorts AM radio signals, affecting the listening experience for drivers and passengers.

Several mitigation techniques are available that help address this issue, including shielded cables, EMI filters, strategic component placement, active noise cancellation, and AM receiver improvements. These solutions offer EMI mitigation, reducing AM band interference and enhancing reception within EVs. However, these mitigation measures have associated costs, depending on the techniques adopted to mitigate EMI and the underlying vehicle architectures. For instance, shielded cabling can increase the cost of the connection system by an estimated 30-40% over the baseline. At the same time, the mitigation techniques do not eliminate unwanted noise in analog AM radio for EVs completely.

Returning to the central question of this research, the cost implications of implementing near-term EMI mitigation measures can pose a significant burden on automakers today. Some automakers have avoided "mitigation" costs by choosing not to offer analog AM radio in their products. Other automakers have faced increased charges in implementing EMI mitigation measures to provide analog AM radios in EVs. These costs have typically resulted from late-stage changes in the product development cycle.

Table 1. AM Radio Availability & Alternatives between EV-Producing Automakers

Automaker	AM Availability?	Replacement/Alternative Offered?
BMW	No	Offers Apple CarPlay, Android Audio, or Bluetooth options.
Ford*	No/Yes*	Software updates for EVs without capabilities will all be in the future.
Mazda	No	Offers Apple CarPlay, Android Audio, Bluetooth, FM, and AM radio.
Polestar	No	Offers TuneIn (app offering AM digital streaming) and Bluetooth.
Rivian	No	Offers Bluetooth capability.
Tesla	No	Owner responsible: Offers Bluetooth, FM radio, satellite radio (when configured), Android Audio, and other Bluetooth options. Premium Connectivity includes in-car music streaming, including TuneIn.
Volkswagen	No	Offers Apple CarPlay, Android Audio, other Bluetooth options, and SiriusXM.
Volvo	No	It offers Apple CarPlay, other Bluetooth options, and SiriusXM.
Honda	Yes	N/A: AM radio present.
Hyundai	Yes	N/A: AM radio present
Jaguar	Yes	N/A: AM radio present.
Kia	Yes	N/A: AM radio present.
Lucid	Yes	N/A: AM radio present.
Mitsubishi	Yes	N/A: AM radio present.
Nissan	Yes	N/A: AM radio present.
Stellantis	Yes	N/A: AM radio present.
Subaru	Yes	N/A: AM radio present.
Toyota	Yes	N/A: AM radio present.
GM	Defer to Alliance	Defers to Alliance
Mercedes-Benz	Defer to Alliance	Defers to Alliance

*Ford CEO **Jim Farley** announced that the company has reversed its decision to release new vehicles without AM radios: all **2024 Ford and Lincoln models** will be equipped with AM radio.

References

- 1) Press. (2022, December 1). *Senator Markey urges automakers to maintain free broadcast radio in future EV models: U.S. Senator Ed Markey of Massachusetts*. Ed Markey: United States Senator for Massachusetts. <https://www.markey.senate.gov/news/press-releases/senator-markey-urges-automakers-to-maintain-free-broadcast-radio-in-future-ev-models>
- 2) ProdataKey, Inc. (2022, October). *What is EMI noise, and how does it affect my Access Control?* ProdataKey, Inc. <https://prodatakey.zendesk.com/hc/en-us/articles/360046978834-What-is-EMI-noise-and-how-does-it-effect-my-Access-Control->
- 3) Wikimedia Foundation. (2023, October 14). *Electromagnetic Interference*. Wikipedia. https://en.wikipedia.org/wiki/Electromagnetic_interference
- 4) Ansari, T. (2023, May 23). *Ford Bringing AM Broadcast Radio Back to Electric Vehicles After Safety Concerns*. The Wall Street Journal. <https://www.wsj.com/articles/ford-bringing-am-broadcast-radio-back-to-electric-vehicles-after-safety-concerns-2c9e9b2a>
- 5) Gryz, K., Karpowicz, J., & Zradziński, P. (2022). Complex electromagnetic issues associated with the use of electric vehicles in urban transportation. *Sensors*, 22(5), 1719. <https://doi.org/10.3390/s22051719>
- 6) Hu, J., Xu, X., Cao, D., & Liu, G. (2019). Analysis and optimization of electromagnetic compatibility for electric vehicles. *IEEE Electromagnetic Compatibility Magazine*, 8(4), 50–55. <https://doi.org/10.1109/memc.2019.8985599>
- 7) Inside Radio. (2021, December 16). *Technical Paper suggests ways to reduce interference to AM radio in electric vehicles*. Inside Radio. https://www.insideradio.com/free/technical-paper-suggests-ways-to-reduce-interference-to-am-radio-in-electric-vehicles/article_493d3488-5cb8-11ec-9822-43674ed3dc3d.html
- 8) Koziol, M. (2023, July 3). *EV Interference Doesn't Have to Kill AM Radio*. IEEE Spectrum. <https://spectrum.ieee.org/am-radio-ev-interference>
- 9) Rao, V. K. (2019). Design of High Voltage Cable for Electric Vehicle. *2019 IEEE Transportation Electrification Conference (ITEC-India)*. <https://doi.org/10.1109/itec-india48457.2019.itecindia2019-26>
- 10) Wang, H., Ji, C., Zhang, C., Zhang, Y., Zhang, Z., Lu, Z., Tan, J., & Guo, L. J. (2019). Highly transparent and broadband electromagnetic interference shielding based on ultrathin doped AG and conducting oxides hybrid film

structures. *ACS Applied Materials & Interfaces*, 11(12), 11782–11791.
<https://doi.org/10.1021/acsami.9b00716>

11) Wu, Q., You, Z., Li, J., Wu, T., & Luo, L. (2023). Evaluating electromagnetic interference for fault analysis and maintenance in new energy vehicles. *Electrica*, 23(2), 357–365. <https://doi.org/10.5152/electrica.2023.22120>

12) Electronic Environment. (n.d.). A review of the principal EMI coupling paths – the key to understanding and preventing or solving EMI problems part 1 " Electronic environment.

13) Wallace, W. (2021, December 17). *How prevalent is EMI shielding in vehicles?* SAT Plating. <https://www.satplating.com/education/how-prevalent-is-emi-shielding-in-vehicles/>

14) Kedem, G. (2023, March 14). *The compounding cost of EMI in today's connected vehicle*. Electronic Design. <https://www.electronicdesign.com/markets/automotive/article/21261915/valens-semiconductor-the-compounding-cost-of-emi-in-todays-connected-vehicle>

15) Tasking. (2017, October 10). *Electromagnetic interference in vehicles with Advanced Driver Assistance Systems*. Tasking. <https://resources.tasking.com/p/electromagnetic-interference-vehicles-advanced-driver-assistance-systems>

16) Matthews, P. (2023, April 5). *Overcoming EMI in electric vehicle applications*. Knowles Precision Devices Blog. <https://blog.knowlescapacitors.com/blog/overcoming-emi-in-electric-vehicle-applications>

17) Cadence System Analysis. (2023, August 11). *It's all about EMI in electric vehicles*. Cadence System Analysis. <https://resources.system-analysis.cadence.com/blog/msa2022-all-about-emi-in-electric-vehicles>

18) MIL-DTL-83528C, detail specification: Gasketing material, conductive, shielding gasket, electronic, elastomer, EMI/RFI general specification for (5 Jan 2001) [superseding MIL-G-83528B]. EverySpec Standards. (2001, January 5). http://everyspec.com/MIL-SPECS/MIL-SPECS-MIL-DTL/MIL-DTL-83528C_11064/

19) IEEE SA - IEEE standard method for measuring the shielding effectiveness of enclosures and boxes with dimensions between 0.1 m and 2 m. IEEE Standards Association. (2014, January 15). <https://standards.ieee.org/ieee/299.1/4061/>

- 20) *IEEE standard method for measuring the effectiveness of electromagnetic shielding enclosures*. IEEE Standards Association. (2007, February 28). <https://standards.ieee.org/ieee/299/3090/>
- 21) Ott, H. W. (2009). *Electromagnetic compatibility engineering*. John Wiley & Sons.
- 22) Lipu, M. S., Faisal, M., Ansari, S., Hannan, M. A., Karim, T. F., Ayob, A., Hussain, A., Miah, Md. S., & Saad, M. H. (2021). Review of electric vehicle converter configurations, control schemes, and optimizations: Challenges and suggestions. *Electronics*, 10(4), 477. <https://doi.org/10.3390/electronics10040477>
- 23) Mistry, M. (2023, May 29). *The hidden heroes of electric vehicles: EMC and EMI Protection*. LinkedIn. <https://www.linkedin.com/pulse/hidden-heroes-electric-vehicles-emc-emi-protection-mohit-mistry/>
- 24) ZHAI, L. (2022). *Electromagnetic compatibility of Electric Vehicle*. SPRINGER VERLAG, SINGAPOR.
- 25) *Seminars with Würth: EMC-compliant high-speed connectivity*. KDPOF. (2023, July 27). <https://www.kdpof.com/automotive-seminars-with-wurth-elektronik-emc-compliant-optical-high-speed-connectivity/>
- 26) Müller, T., Sonner, D., Heubusch, S., & Düll, M. (2014). Tuner-Based EMI Reduction for Broadcast Receivers
- 27) CAR, & Todd Hubing. (2023, October 17). President, LearnEMC
- 28) Luo, F., & Narayanasamy, B. (2019). A Survey of Active EMI Filters for conducted EMI Noise Reduction in Power Electronic Converters. In *IEEE Transactions on Electromagnetic Compatibility* (6th ed., Vol. 61, pp. 2040–2049). essay, IEEE.
- 29) McLellan, J. (2023a, July 18). *Do we need to sacrifice our radios for electric vehicles?* LinkedIn. <https://www.linkedin.com/pulse/do-we-need-sacrifice-our-radios-electric-vehicle-part-joanna-mclellan/>
- 30) McLellan, J. (2023b, July 19). *Do we need to sacrifice our radios for electric vehicles?* LinkedIn. <https://www.linkedin.com/pulse/do-we-need-sacrifice-our-radios-electric-vehicle-part-joanna-mclellan-1c/?trackingId=5LyzPTXDSOmj3BIMn8o1BA%3D%3D>